



**HENDI**

Tools for Chefs

Innovatielaan 6  
6745 XW De Klomp  
The Netherlands

Tel: +31 317 681040

[www.hendi.eu](http://www.hendi.eu)  
[info@hendi.eu](mailto:info@hendi.eu)

**HENDI BV declares that:**

*HENDI BV verklaart dat / erkl rt dass / d clare que / o wiadcza,  e / a declarat c  / dichiarato che:*

Itemnr: **517109 - 517208 - 517307 - 517406 - 517604**

Type: **Mixing bowl with rounded base, stainless steel 0,7 - 1,4 - 2,3 - 3,3 - 4,9 ltr**



Imported by: *Ge mporteerd door / importiert durch / import  par / importowane przez / importata de / importati da:*

**Hendi BV, Innovatielaan 6, 6745 XW De Klomp, The Netherlands**

**According regulation:**

*Volgens verordening / nach Verordnung / suite r glement / jest zgodny z rozporz dzeniem / in conformitate cu regulamentul / regolamento secondo:*

**1935/2004/EC**

**Commodity Act Packaging and Food Utensils Regulation of The Netherlands and its amendments up to and including 328583-117560-VGP of March 14, 2014**

**Test method:**

**Food simulant:** Citric Acid 0.5 %

**Test duration /** 2 hour(s) / 100 C

**Temperature:**

Volume to surface area ratio: 1000 ml/ 3.95 dm<sup>2</sup>

\* There are no substances subject to restrictions apart from the Specific Migration Limits (SMLs).

Conditions of use, types of food:	Contact conditions:
All kinds of food	Temperature: upto 100�C for >2 hrs

This declaration is issued under the sole responsibility of Hendi BV

*Deze verklaring wordt verstrekt onder volledige verantwoordelijkheid van Hendi BV / Diese Erkl rung wird unter der alleinigen Verantwortung von Hendi BV herausgegeben / Cette d claration est publie sous la responsabilit  du Hendi BV / Niniejsza deklaracja zosta a wydana na wy czn  odpowiedzialno c Hendi BV / Aceast  declarat e este emis  pe r spunderea exclusiv  a Hendi BV / Questa dichiarazione   rilasciata sotto le responsabilit  del Hendi BV.*

De Klomp, 24-05-2022

**Hendi b.v.**  
Innovatielaan 6  
6745 XW De Klomp  
The Netherlands  
kvk 30053484

R.E. Vooijs  
Purchasing Manager

